25X1A2g For Release 1999/09/08 100 P82-00457R00020022 NO CHANGE in C DECLASSIFIED Class. CHANGED TO: CENTRAL INTELLIGENCE GROUP DDA Memo, 4 Apr 77 Auth: DDA REG. 77/1763 INTELLIGENCE REPORT Date: 050478

COUNTRY Chine DATE:

SUBJECT

INFO. 22 August 1946

Economic Information: Oil, Manchuria

DIST. 23 December 1946

25X1A6a

PAGES 3

ORIGIN

25X1X6

SUPPLEMENT

Oil Shale in Manchuria

Oil shale was discovered first in the Fushum (123-54, 41-53) coal fields in 1911. Since that time much low-percent oil shale has been found in Manchuria, but with the exception of that in Fushum, which lies below the coal-bearing strate, none of it is being processed. Geologically, oil shale is classified according to the age to which it belongs, as follows:

Lower Jurassic or Upper Triessic

This shale exists in small quantities at Chiufotang (119-41, 40-58), K'ouhuolin (0火掛), and T'iaoerhkou (跳兒法), near Chaoyang (120-26, 41-34). Its petrolem percentage is only 2 - 15.

b. Upper Jurassic

The shales of this geological age are always accompanied by coal-bearing strata, of which they usually form the lower layer. Most of the shale in Manchuria belongs to this age, and although the amount is estimated at 200,000,000 tons, the percentage of petroleum is only 2 - 5%. It is found in the following areas:

(1) Ch'ingch'uantsu (清泉子), Tamiao (太原), and Chifenghsien in Jehol. (2)* Tap'ingfang (太平房), Yuehyaokou, (角字灣), R.chiakou (广文灣)
**Yuehchienyo (月夏近) near Chaoyang. */Taipingfang, 120-08, 41-25:7
(3) Hsingching (125-02, 41-42). *** Yuehchienchiu?

(4) The Argun River area, Heilungkiang Province. (China Headquarters Note: This river runs west from Hailar and then north to form the northwest boundary of Manchuria.)

c. Lower Creteceous

25X1A9a

(1) South of Yenchi (129-31, 42-55) near the village of Talatan (大拉子) Lotzukou (隨子漢) there are important oil shale layers containing 3 - 20% petroleum. Japanese cologists estimated that this area contains 200,000 tons of it. The Manchoukun Government intended to cetablish a small company there, but the necessary equipment was lacking.

CLASSIFICATION COMEDENTIAL															
ADSO	74,	A DEP.	x	FET		SPDF		VTO				3	×		٦
DADEO		FBK		FBY		SPDS		B DEP.							\neg
EXEC.		FBL.		FBX		SPDT		CFCB							\neg
CONTROL	-	Approved	F	on Releas	e 3	9,970970	<u>B_</u>	GA-RDF	82	(200X45X954	10	0200220 0	08	-1	\neg
Plans	X	FBP		SPDA		TRB						Same de see de se constitue de se constitue de se			\neg

CHITHAL INTELLIGENCE GROUP

س 2 ه

- (2) In the Tungning (131-14, 44-01) district, oil shale is so mixed with coal that the two cannot be separated. Source believes that this coal might be suitable for distillation purposes.
- (3) The famous Fushun coal field produces an estimated 800,000,000 tons of oil shale which has an oil percentage of 8 12%. From 1911 until recently the Japanese Government obtained from it large quantities of oil for airplane use and relied upon it for artificial oil. In 1944 this government increased the facilities and equipment of the Fushun Oil Factory by fifty percent. Source has heard that this factory was damaged by fire during the war and that the Soviet army removed many instruments and much equipment, but these reports are unconfirmed. In any case, it is not now operating. The coal field is producing 4,000 tons of coal a month.

d. Unclassified

Formerly the oil shale found in the Huatien (126-45, 42-58) district was thought to belong to the Upper Jurassic age, as was the coal. In 1944, however, tertiary fossils and other unconformaties were found in the shale. The amount of this shale is estimated at 12,000,000 tons; the average petroleum percentage is 20%. The Manchukuo Government set up several small factories in this district and obtained some petroleum by the same process as the one used at Fushum.

2. Petroleum in Hanchuria

a. Chalainor district

In the area between the northern coast of Chalainor Lake (117-27, 49-00). properly known as Ta-lai Lake or Hu-lun Chih, 7 and Chalainor Station, it was accidentally discovered that the pitch-like matter in the porous baseltic gravels would burn. / Russian named E. Aruteifu [Arutev?] (Japanese romanization of (TN f(7), took some of this pitch to the Manchurian Mailway Company to be analyzed. In 1924, Mr. Trich, an American, tried unsuccessfully to establish a company in this district. In 1930 and 1931 two more attempts at surveys were made by the Lunchurian Mailway and the Chinese geologist HOU Te-feng, but both failed because of interference by bandits. In 1933 Japanese geologists under the protection of the Japanese .rmy made a survey which showed that Chalainor pitch is derived from petroleum and not from coal. The Manchurian Oil Company then drilled more than sixty wells, several of which yielded asphalt and crude petroleum. From surface-surveying and boring it was assumed that the origin of this petroleum was closely concerned with . IM-Fault and a Mi-Fault, which cut the NN-Fault. In spite of the fact that several wells were drilled to a depth of more than 2,000 meters, the oil-bearing under-layer of trachytic rock was not found. The Manchurian Oil Company halted its operations in this field in 1935 and moved most of its equipment to the Fushan oil field. The surface soil of the Chalainor district is very deep, so that it is difficult to determine the underground structure by surface-surveying only. Since 1935 three surveys have been made, but the anticlinical structure and rock-salt domes which characterize cil-bearing structures have not been found. In this district Sanidin-Trachyte rock is widely distributed, overlaid by Mesozoic or perhaps upper Jurasaic coal bearings. Near the northwest coast of Chalainor Lake. Sanidin-Trachyte is very porous and contains a great deal of natural pitch.



Approved For Release 1999/09/08: CIA-RDP82-00457R000200220008-1



25X1A2g

-- 3 --

b. Fushun Oil Field

After the beginning of the Sino-Japanese war, bituminous matter was discovered in the Fushun coal field at Hsienchteng (****), Tuhulu (*****), and Tungkang (****). After the survey of 1939, a large anticlinical structure was found in the Tongan district, and although subsequent drilling was extensive, only approximately 180 liters of oil were obtained. While a quantity of petroleum has been produced from many other wells, the yield at Fushum has never paid for the cost of production, and during the war almost all of its boring machines were sent to Java, Borneo, and elsewhere. The Japanese Government did not obtain any petroleum from Manchuria except that from the oil shale at Fushun.